

DATE 2002Z 05 DEC 60

S-E-C-R-E-T

1	Contr	4	M.B.
2	Ch/OB	5	Fin
3	"	6	Asst. Ch.

TO : DIRECTOR

25X1A

FROM :

ACTION: DPD (1,2,3,4,5,6,7,8,9,10)

INFO : S/C (11)

CET

25X1A

TOR: 2104Z 05 DEC 60

25X1A

IN 38447

TO

INFO

CITE

562

OXCART

25X1A

1. THE FOLLOWING RESIDUAL INVENTORY ON OUR CONTRACT
AF 33(500)-30130 HAS BEEN DECLARED SURPLUS BY NEW YORK AIR
PROCUREMENT DISTRICT AND IS IN PROCESS OF BEING DONATED TO
EDUCATIONAL INSTITUTIONS - REF. DD 545 FORMS DATED 13 JUNE
1950.

LINE ITEM	QTY	DESCRIPTION	EST. VALUE
4	1	LEEDS & NORTHRUP POTENTIOMETER	\$450
5	1	WALLACE & TIERNAN VACUUM GAGE MODEL FA-141	50
9	1	LINDBERG FURNACE MODEL B-2	900

2. ABOVE EQUIPMENT REQUIRED FOR USE ON A CONTINUING BASIS
FOR PR-8200. DISPOSITION NOTED ABOVE WOULD REQUIRE REPLACEMENT
WITH SIMILAR ITEMS UNDER PR-8200. 25X1A

25X1A

3. RECOMMEND AND TAKE NECESSARY STEPS TO
TRANSFER THESE ITEMS AS G.F.E. UNDER RE-513. 25X1A

4. COGNIZANT AF PERSON IS PLANT CLEARANCE

S-E-C-R-E-T

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED.

Copy No.

25X1A

PAGE 2, [] 562, IN 38447.

S E C R E T

25X1A

OFFICER, [] NEW YORK AIR PROCUREMENT DISTRICT, 111 EAST
16TH STREET, NEW YORK 3, NEW YORK; TELEPHONE SPRING 7-4200,
EXT. 530.


5. LETTER FOLLOWS.

6. PLEASE ADVISE ACTION YOU WILL TAKE, IF ANY; URGENCY
EXISTS DUE TO INCIPIENT INSTRUCTIONS TO SHIP EQUIPMENT AS
NOTED PARA 1.

END OF MESSAGE

25X1A

25X1A



discussed
on 12/17/60 - they will
arrange for holding
equipment at P&E
&

S E C R E T